			1 55	m:
L	Hits	Search Text	DB	Time stamp
Number	50	("6182069"	USPAT	2002/02/21
1	50	"5978696"	OSERI	08:56
		"6124864"		00.30
		"5322067"		
		"5341438"		
		"5555362"		
		"5717794"		
		"5745248"		
		"5883893"		
	ļ	"5930400"		
		"5930379"		
		"6026182"		
		"6029214"		
		"6031935"		
		"6067382"	1	
		"6137913"		
		"6256400"		
		"6278446"	1	
		"4466121"]
		"4562594"		ļ
		"5692112"		
		"5768134"]
		"5802589"		1
		"5892841"		į
		"5903664"		Í
•		"6266442"		i
		"4607385"		
		"6184858"		
		"6230167"		I I
1		"5566001"		1
		"5926181"		
		"4764972"		'
		"5276679"		
		"5889889"		
		"5768413"		
		"6005625"		
		"6249605"		-
		"5623310"		
		"5706364"		
	•	"5956419"	ļ	
		"6075875"		
		"6107731"		
		"6130964"		·
İ		"5187658"		
1	ļ	"5231580"		
1		"5299269"		
		"5412563"		
	1	"5416603"		
		"5418895").pn.		
[0.110030 / .pm.		
2	4061	345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
4	4001	or 345/642 or 345/810 or 345/779 or		08:58
		345/835 or 345/840 or 345/846 or 382/173		
		or 382/176 or 382/180 or 382/190 or		
		382/224	1	
1	944	Segment ADJ image	USPAT	2002/02/21
4	""	Segment and image		09:02
6	1600	generate ADJ input	USPAT	2002/02/21
٥	1,000	generate ADO Imput	JULAI	09:04
-		(segment ADJ image) and (generate ADJ	USPAT	2002/02/21
7	0		JULAI	09:05
L	.L	input)		1 0 3 . 0 3

8	0	(("6182069"	USPAT	2002/02/21
		"5978696"		09:05
		"6124864"		
1		"5322067"		
1		"5341438"		
		"5555362"		1
		3333362 "5717794"		
į		,		
		"5745248"		
		"5883893"		
		"5930400"		
		"5930379"		
		"5969755"		
		"6026182"		
		"6029214"		
		"6031935"		1
		"6067382"		1
		"6137913"		
		"6256400"		
]]				
		"6278446"		
1		"4466121"		
		"4562594"	1	
		"5692112"		
		"5768134"		
		"5802589"		
		"5892841"		-
		"5903664"		
		"6266442"		
		"4607385"		
		"6184858"		
1		"6230167"		
		"5566001"		
		"5926181"		
		"4764972"		
		"5276679"		1
		"5889889"		Ì
,				
		"5768413"		
		"6005625"		
		"6249605"		1
		"5623310"		
		"5706364"		
	!	"5956419"		
	ļ	"6075875"		
		"6107731"		
		"6130964"		<u> </u>
		"5187658"	1	
		"5231580"		
		"5299269"		į į
		"5412563"	1	
		"5416603"	1	1
			1	
	ļ	"5418895").pn.	1	
	100) and (generate ADJ input)		0000 (00 (00
11	126	(345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
		or 345/642 or 345/810 or 345/779 or	1	09:06
		345/835 or 345/840 or 345/846 or 382/173		
		or 382/176 or 382/180 or 382/190 or]
		382/224) and (segment ADJ image)		
12	0	(segment ADJ classifier) and ((345/764 or	USPAT	2002/02/21
	*	345/856 or 345/625 or 345/627 or 345/642		09:06
	1	or 345/810 or 345/779 or 345/835 or		
	[345/840 or 345/846 or 382/173 or 382/176		
]		or 382/180 or 382/190 or 382/224) and		
1		(generate ADJ input))		
		· · · · · · · · · · · · · · · · · · ·	L	L

13	0	(segment ADJ classifier) and ((("6182069"	USPAT	2002/02/21
13		"5978696"	USPAI	09:06
j		"6124864"		09.00
		"5322067"		
		"5341438"		
		"5555362"		
		"5717794"		
		"5745248"		<u> </u>
		"5883893"		
		"5930400"		į
		"5930379"		
		"5969755"		
		"6026182"		
1		"6029214"		
		"6031935"		i
		"6067382"		1
		"6137913"		
		"6256400"		. i
		"6278446"		
		"4466121"		
		"4562594"		
		"5692112"		
		"5768134"		
		"5802589"		
		"5892841"		
		"5903664"		
		"6266442"		
		"4607385"	İ	İ
		"6184858"		
		"6230167"		
		"5566001"		ļ
1		"5926181"		
		"4764972"		
		"5276679"		
		"5889889"		
1		"5768413"		
		"6005625"		
		"6249605"		
1		"5623310"		
1		"5706364"		
		"5956419"		
		"6075875"		1
		"6107731"		
		"6130964"		
		"5187658"		
1		"5231580"		
1		"5299269"		
		"5412563"		
		"5416603"		
		"5418895").pn.		
) and (segment ADJ image))		
14	o	(segment ADJ classifier) and ((345/764 or	USPAT	2002/02/21
	•	345/856 or 345/625 or 345/627 or 345/642		09:07
		or 345/810 or 345/779 or 345/835 or		• • • • • • • • • • • • • • • • • • •
		345/840 or 345/846 or 382/173 or 382/176		
1		or 382/180 or 382/190 or 382/224) and		
		(segment ADJ image))		
16	0	(generate ADJ input) and ((345/764 or	USPAT	2002/02/21
	_	345/856 or 345/625 or 345/627 or 345/642		09:08
		or 345/810 or 345/779 or 345/835 or		
		345/840 or 345/846 or 382/173 or 382/176		
	l	or 382/180 or 382/190 or 382/224) and		
		(segment ADJ image))		
19	729	processing ADJ tools	USPAT	2002/02/21
		-		09:10
20	o	(segment ADJ classifier) and (processing	USPAT	2002/02/21
	-	ADJ tools)		09:10
21	0	(segment ADJ image) and (processing ADJ	USPAT	2002/02/21
	-	tools)		09:11
·		·	L	

			F	1 0 0 0 0 10 - 1
22	0	(("6182069" "5978696"	USPAT	2002/02/21 09:11
		3978898 "6124864"		05.11
		"5322067"		
		"5341438"		
		"5555362" "5717794"		
		3717794 "5745248"		-
		"5883893"		
		"5930400"		
		"5930379"		
		"5969755" "6026182"		
		"6029214"		
		"6031935"		
		"6067382"		
		"6137913"		
		"6256400" "6278446"		
		"4466121"		
		"4562594"		
		"5692112"		
		"5768134" "5802589"		
		"5802589" "5892841"		
		"5903664"		
		"6266442"	į	
		"4607385"		
		"6184858"		
		"6230167" "5566001"		
		"5926181"		
		"4764972"		
		"5276679"		
		"5889889"		
		"5768413" "6005625"		
		"6249605"		
1		"5623310"		
		"5706364"		
		"5956419"		
		"6075875" "6107731"		
		"6130964"		
		"5187658"		
		"5231580"		
		"5299269" "5412563"		
		"5416603"		
		"5418895").pn.		
) and (processing ADJ tools)		
25	2	(345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
	-	or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173		09:17
		or 382/176 or 382/180 or 382/190 or		
		382/224) and (interface ADJ widget)		
26	173	modified ADJ segment	USPAT	2002/02/21
		and the same and t		09:18
28	169	position ADJ mapping	USPAT	2002/02/21
29	17940	user ADJ input	USPAT	2002/02/21
	1,540			09:20
31	101	(segment ADJ image) and (user ADJ input)	USPAT	2002/02/21
	_		Henam	09:21
32	0	<pre>(position ADJ mapping) and ((segment ADJ image) and (user ADJ input))</pre>	USPAT	2002/02/21
33	89	image) and (user ADJ input)) ((segment ADJ image) and (user ADJ	USPAT	2002/02/21
"		input)) and position		09:22
34	35	((segment ADJ image) and (user ADJ	USPAT	2002/02/21
		input)) and mapping	<u> </u>	09:22

38	393	segment ADJ selection	USPAT	2002/02/21
40	115	predefined ADJ configuration	USPAT	09:24 2002/02/21 09:26
41	96	updated ADJ configuration	USPAT	2002/02/21
42	0	345/627 or 345/642 or 345/810 or 345/779	USPAT	2002/02/21 09:28
43	0	or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (processing ADJ tools)) and (predefined ADJ configuration) ((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (processing ADJ tools)) and (updated ADJ configuration)	USPAT	2002/02/21 09:28
44	0		USPAT	2002/02/21
45	0	(processing ADJ tools) and (updated ADJ configuration)	USPAT	2002/02/21 09:29
46	0	(segment ADJ image) and (predefined ADJ configuration)	USPAT	2002/02/21 09:29
47	0	(segment ADJ image) and (updated ADJ configuration)	USPAT	2002/02/21
48	31017	image ADJ processing	USPAT	2002/02/21 09:30
49	1405	(345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (image ADJ processing)	USPAT	2002/02/21
51	0	(updated ADJ configuration) and ((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (image ADJ processing))	USPAT	2002/02/21 09:31
52	56	photographic ADJ region	USPAT	2002/02/21
53	224	text ADJ region	USPAT	2002/02/21
54	1014	color ADJ region	USPAT	2002/02/21 09:32
55		(segment ADJ classifier) and (photographic ADJ region)	USPAT	2002/02/21 09:33
56	0	(segment ADJ classifier) and (text ADJ region)	USPAT	2002/02/21 09:33
57	0	(segment ADJ classifier) and (color ADJ region)	USPAT	2002/02/21 09:33
58	0	((segment ADJ image) and classifier) and (photographic ADJ region)	USPAT	2002/02/21 09:33
60	0	((segment ADJ image) and classifier) and (color ADJ region)	USPAT	2002/02/21
3	33	segment ADJ classifier	USPAT	2002/02/21 09:38
		(segment ADJ image) and classifier	USPAT	2002/02/21 09:42
9	21	(345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (generate ADJ input)	USPAT	2002/02/21 10:32

10	7	(("6182069"	USPAT	2002/02/21
10	,	(USPAI	10:42
j i		"6124864"		10.72
		"5322067"		
		"5341438"		
		"5555362"] ,
		"5717794"		
		"5745248"		
		"5883893"		
		"5930400"		
		"5930379"		
		"5969755"	1	
		"6026182"		
		"6029214"		
		"6031935"		
		"6067382"		
		"6137913"		
		"6256400"		
		"6278446"		
		"4466121"		
		"4562594"		
		"5692112"		
		"5768134"	1	
		"5802589"	1	
		"5892841"	1	
		"5903664" "6266442"		
		"6266442" "4607385"		
		"4607385" "6184858"		
		"6184858" "6230167"]	
		"5566001"	1	
		"5926181"	1	
		"4764972"]
		"5276679"		
		"5889889"		
		"5768413"	1	
		"6005625"		
		"6249605"	1	
		"5623310"		
		"5706364"		1
		"5956419"	İ	
		"6075875"		
		"6107731"		·
Ì		"6130964"		
		"5187658"		
		"5231580"		
		"5299269"		
		"5412563"		
		"5416603"		
		"5418895").pn.		
1) and (segment ADJ image)		
15	19	((segment ADJ image) and classifier) and	USPAT	2002/02/21
		((345/764 or 345/856 or 345/625 or		10:46
İ	ŀ	345/627 or 345/642 or 345/810 or 345/779		
1		or 345/835 or 345/840 or 345/846 or		
1		382/173 or 382/176 or 382/180 or 382/190		
	ا ۾	or 382/224) and (segment ADJ image))	Hansa	2002/02/21
17	2	((345/764 or 345/856 or 345/625 or	USPAT	2002/02/21
		345/627 or 345/642 or 345/810 or 345/779		10:50
		or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190		
1		or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (segment ADJ image)) and		
}		or 382/224) and (segment ADJ image)) and gui		
18	5	gui ((345/764 or 345/856 or 345/625 or	USPAT	2002/02/21
10	3	345/627 or 345/642 or 345/810 or 345/779	OSERI	10:52
1		or 345/835 or 345/840 or 345/846 or		10.02
		382/173 or 382/176 or 382/180 or 382/190		
1		or 382/224) and (generate ADJ input)) and	1	
ĺ		qui		
		7 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1		<u> </u>

23	10	(345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or	USPAT	2002/02/21 10:53
24	14	382/224) and (processing ADJ tools) interface ADJ widget	USPAT	2002/02/21
61	0			11:27
-		(processing ADJ tools) and (interface ADJ widget)	USPAT	2002/02/21 11:28
62	0	((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (processing ADJ tools)) and (interface ADJ widget)	USPAT	2002/02/21 11:29
63	17		USPAT	2002/02/21
64	0	(interface ADJ widget) and (image ADJ tools)	USPAT	2002/02/21
65	0	(image ADJ tools) and widget	USPAT	2002/02/21 11:30
66	11	(interface ADJ widget) and tools	USPAT	2002/02/21 11:30
27	1	(345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or	USPAT	2002/02/21
67		382/224) and (modified ADJ segment)		2000 (00 (00
67	0	(interface ADJ widget) and (modified ADJ segment)	USPAT	2002/02/21 11:43
68	0	(modified ADJ segment) and widget	USPAT	2002/02/21 11:44
69	0	(interface ADJ widget) and (segment ADJ selection)	USPAT	2002/02/21 11:47
70	0	<pre>(interface ADJ widget) and ((segment ADJ image) and (segment ADJ selection))</pre>	USPAT	2002/02/21 11:47
30	1	(segment ADJ image) and (position ADJ mapping)	USPAT	2002/02/21 11:49
71	0	<pre>(modified ADJ segment) and (position ADJ mapping)</pre>	USPAT	2002/02/21 11:49
35	. 29	(((segment ADJ image) and (user ADJ input)) and position) and mapping	USPAT	2002/02/21
72	0	((((segment ADJ image) and (user ADJ input)) and position) and mapping) and widget	USPAT	2002/02/21 12:07
73	12	widget ADJ class	USPAT	2002/02/21
74	0	((((segment ADJ image) and (user ADJ input)) and position) and mapping) and (widget ADJ class)	USPAT	2002/02/21 12:07
37	5	((((segment ADJ image) and (user ADJ input)) and position) and mapping) and highlighting	USPAT	2002/02/21 12:16
36	11	(((segment ADJ image) and (user ADJ input)) and position) and highlighting	USPAT	2002/02/21
75	4	((((segment ADJ image) and (user ADJ input)) and position) and highlighting) and icons	USPAT	2002/02/21
39	7	(segment ADJ image) and (segment ADJ selection)	USPAT	2002/02/21
50	6	(predefined ADJ configuration) and ((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or	USPAT	2002/02/21 13:04
		382/173 or 382/176 or 382/180 or 382/190		
59	3	or 382/224) and (image ADJ processing)) ((segment ADJ image) and classifier) and	USPAT	2002/02/21
76	1	(text ADJ region) (image ADJ tools) and icons	USPAT	13:17 2002/02/21 13:19

77	0	((345/764 or 345/856 or 345/625 or	USPAT	2002/02/21
		345/627 or 345/642 or 345/810 or 345/779		13:19
		or 345/835 or 345/840 or 345/846 or		
		382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (segment ADJ image)) and		
		(processing ADJ tools)		
78	6	((345/764 or 345/856 or 345/625 or	USPAT	2002/02/21
, ,		345/627 or 345/642 or 345/810 or 345/779		13:19
		or 345/835 or 345/840 or 345/846 or		
		382/173 or 382/176 or 382/180 or 382/190		
		or 382/224) and (segment ADJ image)) and		
		icons	<u> </u>	

L Number	Hits	Search Text	DB	Time stamp
1	50	("6182069"	TICDAM	2002/02/21
*		"5978696"	USPAT	2002/02/21
		"6124864"	İ	08:56
i		"5322067"		
ļ		"5341438"	Ì	
1		"5555362"		
		"5717794"	1	
		"5745248"		
	ŀ	"5883893"	İ	
		"5930400" "5930379"		1
		"5969755"		
		"6026182"		
		"6029214"		
		"6031935"		
1		"6067382"	*	
Į		"6137913"		İ
		"6256400"]
Į		"6278446"		
		"4466121"		
		"4562594" "5692112"		
	ł	"5768134"		
		"5802589"	İ	
	İ	"5892841"		1
		"5903664"		
		"6266442"		1
		"4607385"		
		"6184858"		1
		"6230167"		
		"5566001" "5926181"		
		1"4764972"	•	
		"5276679"		İ
		"5889889"		
		"5768413"		·
		"6005625"		
		"6249605"		
	1	"5623310"		
		"5706364"		
		"5956419" "6075875"		
		"6107731"]
		"6130964"		
		"5187658"		1
		"5231580"	1	
		"5299269"		
		"5412563"		
		"5416603"		
	1	"5418895").pn.		
2	4061	345/764 or 345/856 or 345/625 or 345/627		2000/00/01
~	1001	or 345/642 or 345/810 or 345/779 or	USPAT	2002/02/21 08:58
		345/835 or 345/840 or 345/846 or 382/173		00.30
		or 382/176 or 382/180 or 382/190 or		
_]	382/224		
3	6	segment ADJ classifier	USPAT	2002/02/21
4				09:01
4	944	segment ADJ image	USPAT	2002/02/21
5	33	(segment ADT image) and alleged file	Ivan-	09:02
J	33	(segment ADJ image) and classifier	USPAT	2002/02/21
6	1600	generate ADJ input	USPAT	09:02
-	1000	gonerace and input	USPAT	2002/02/21 09:04
7	o	(segment ADJ image) and (generate ADJ	USPAT	2002/02/21
		input)		09:05

8	0	(("6182069"	USPAT	2002/02/21
	ļ	"5978696"		09:05
		"6124864"	İ	
		"5322067"		
		"5341438"		
		"5555362"		
		"5717794"]
		"5745248"		
		"5883893"		
		"5930400"	Í	
		"5930379"		
		"5969755"		
		"6026182"		
ĺ		"6029214"		
		"6031935"		1
	1	"6067382"	l	
1	1	"6137913"		
1	1	"6256400"		
	1	"6278446"		
		"4466121"		
	1	"4562594"		
	İ	"5692112"		
		"5768134"		
	1	"5802589"		1
		l .		
		"5892841"		1
		"5903664"		İ
		"6266442"		
		"4607385"		
		"6184858"		
		"6230167"		
		"5566001"	İ	
	Ī	"5926181"		
		"4764972"		
		"5276679"		
	1	"5889889"		
		"5768413"	-	
		"6005625"		İ
		"6249605"		
ļ	1	"5623310"		
İ	1	"5706364"		. 1
		"5956419"]
		"6075875"		1
		"6107731"		
		"6130964"		
1		I		1
		"5187658"		1
		"5231580"		1
		"5299269"		
		"5412563"]
		"5416603"		1
		"5418895").pn.		
1) and (generate ADJ input)	1	
9	21	(345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
		or 345/642 or 345/810 or 345/779 or]	09:05
	1	345/835 or 345/840 or 345/846 or 382/173		-3.00
		or 382/176 or 382/180 or 382/190 or		1
		382/224) and (generate ADJ input)		
	J	[000, 201, and (denerace who minder)	L	

10		1 / / 1 6 1 0 0 0 6 0 11	T'	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
10	7	(("6182069"	USPAT	2002/02/21
		"5978696"		09:05
		"6124864"		
	ĺ	"5322067"		
		"5341438"		1
		"5555362" "5717794"		
		"5717794" "5745248"		
		"5883893"		
		"5930400"		
		"5930400 "5930379"		
		"5950379" "5969755"		1
		"6026182"		
		"6029214"		
		"6031935"		
		"6067382"		
		"6137913"		i
		"6256400"	•	
		"6278446"		
		"4466121"		
		"4562594"		1
		"5692112"		
		"5768134"		
		"5802589"		
		"5892841"		
	1	"5903664"		
		"6266442"		ļ
		"4607385"		
		"6184858"		
	-	"6230167"	İ	
		"5566001"		İ
	i	"5926181"		
	1	"4764972"		
		"5276679"]
		"5889889"		
		"5768413"		
]	"6005625"		
		"6249605"	i	
		"5623310"		
		"5706364"		
		"5956419"		
		"6075875"		
		"6107731"		
		"6130964"		
		"5187658"	1	
		"5231580"		.
		"5299269"	1	
		"5412563"		
		"5416603"		
		"5418895").pn.		
) and (segment ADJ image)	1	
11 .	126	(345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
		or 345/642 or 345/810 or 345/779 or		09:06
		345/835 or 345/840 or 345/846 or 382/173		
		or 382/176 or 382/180 or 382/190 or		
		382/224) and (segment ADJ image)		
12	0		USPAT	2002/02/21
		345/856 or 345/625 or 345/627 or 345/642		09:06
ĺ		or 345/810 or 345/779 or 345/835 or		
l		345/840 or 345/846 or 382/173 or 382/176		
l		or 382/180 or 382/190 or 382/224) and		1
l		(generate ADJ input))		
	·	the state of the s	I	

		1/	Trianna	10000 (00 (01
13	0	(segment ADJ classifier) and ((("6182069" "5978696"	USPAT	2002/02/21 09:06
1		"59/8696" "6124864"		09:00
1		"5322067"		
		"5341438"		
		"5555362"		
		75717794"		
		"5745248"		
		"5883893"		
		"5930400"		
		"5930379"		
		"5969755"		
1		"6026182"		
1		"6029214"		
		"6031935"		
		"6067382"	1	
		"6137913"		
		"6256400"		
1		"6278446"		
1		"4466121"		
}		"4562594"		
1		"5692112"		
1		"5768134"		
		"5802589"		İ
1		"5892841" "5003664"		
		"5903664" "6266442"		
		"6266442"		
		"4607385" "6184858"	1	
		"6184858" "6230167"	}	
		"5566001"		
1		"5926181"		1
		3926161 "4764972"	-	
}	1	"5276679"		
		"5889889"	1	
		"5768413"	1	
	!	"6005625"		
]	"6249605"		1
	1	"5623310"		
		"5706364"		
		"5956419"		
		"6075875"]	
		"6107731"		
		"6130964"		
	1	"5187658"		
		"5231580"		
		"5299269"		
		"5412563"		
]	"5416603"		
		"5418895").pn.		
14	0) and (segment ADJ image)) (segment ADJ classifier) and ((345/764 or	USPAT	2002/02/21
13	"	345/856 or 345/625 or 345/627 or 345/642	OSFAI	09:07
		or 345/810 or 345/779 or 345/835 or		09.01
		345/840 or 345/846 or 382/173 or 382/176		
	<u> </u>	or 382/180 or 382/190 or 382/224) and		
		(segment ADJ image))		
15	19	((segment ADJ image) and classifier) and	USPAT	2002/02/21
-		((345/764 or 345/856 or 345/625 or		09:08
		345/627 or 345/642 or 345/810 or 345/779		
		or 345/835 or 345/840 or 345/846 or		
į		382/173 or 382/176 or 382/180 or 382/190		
		or 382/224) and (segment ADJ image))		
16	0	(generate ADJ input) and ((345/764 or	USPAT	2002/02/21
		345/856 or 345/625 or 345/627 or 345/642		09:08
		or 345/810 or 345/779 or 345/835 or		
ļ	1	345/840 or 345/846 or 382/173 or 382/176		
	, ,			
		or 382/180 or 382/190 or 382/224) and (segment ADJ image))		

17	2	((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (segment ADJ image)) and	USPAT	2002/02/21 09:09
18	5	gui ((345/764 or 345/856 or 345/625 or 345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or 382/173 or 382/176 or 382/180 or 382/190 or 382/224) and (generate ADJ input)) and gui	USPAT	2002/02/21 09:09
19	729	processing ADJ tools	USPAT	2002/02/21
20	0	(segment ADJ classifier) and (processing ADJ tools)	USPAT	2002/02/21
21	0	(segment ADJ image) and (processing ADJ	USPAT	2002/02/21
22		tools) (("6182069" "5978696" "6124864" "5322067" "5341438" "5555362" "5717794" "5745248" "5883893" "5930400" "5930379" "5969755" "6026182" "6031935" "6031935" "6047382" "6137913" "6256400" "6278446" "4466121" "4562594" "55925112" "5768134" "5802589" "5892841" "5903664" "6266442" "4607385" "6184858" "6230167" "5566001" "5926181" "4764972" "55276679" "5889889" "5768413" "6005625" "6249605"	USPAT	09:11 2002/02/21 09:11
		"5623310" "5706364"		
! 	.	"5956419" "6075875"		
		"6107731" "6130964"		
		"5187658" "5231580"		
		"5299269" "5412563"		
		"5416603" "5418895").pn.		
—	<u></u>) and (processing ADJ tools)		

23		1245/54		
23	10		USPAT	2002/02/21
	,	or 345/642 or 345/810 or 345/779 or		09:11
		345/835 or 345/840 or 345/846 or 382/173		
	1	or 382/176 or 382/180 or 382/190 or		
24	14	382/224) and (processing ADJ tools) interface ADJ widget		
	1	Intellace ADO widget	USPAT	2002/02/21
25	2	(345/764 or 345/856 or 345/625 or 345/627	HCDAM	09:11
	_	or 345/642 or 345/810 or 345/779 or	USPAT	2002/02/21
		345/835 or 345/840 or 345/846 or 382/173		09:17
		or 382/176 or 382/180 or 382/190 or		
		382/224) and (interface ADJ widget)	1	
26	173	modified ADJ segment	USPAT	2002/02/21
				09:18
27	1		USPAT	2002/02/21
		or 345/642 or 345/810 or 345/779 or		09:19
1		345/835 or 345/840 or 345/846 or 382/173	İ	
}	1	or 382/176 or 382/180 or 382/190 or		
28	169	382/224) and (modified ADJ segment)		i i
20	109	position ADJ mapping	USPAT	2002/02/21
29	17940	user ADJ input		09:19
23	1/540	user ADO Input	USPAT	2002/02/21
30	1	(segment ADJ image) and (position ADJ		09:20
	_	mapping)	USPAT	2002/02/21
31	101		, , , , , , , , , , , , , , , , , , ,	09:21
		(to smells into image, and (user Abo imput)	USPAT	2002/02/21
32	0	(position ADJ mapping) and ((segment ADJ	USPAT	09:21
		image) and (user ADJ input))	USPAI	2002/02/21 09:21
33	89	((segment ADJ image) and (user ADJ	USPAT	2002/02/21
		input)) and position	001111	09:22
34	35	Transfer and amage, and taser and	USPAT	2002/02/21
1		input)) and mapping		09:22
35	29	(((segment ADJ image) and (user ADJ	USPAT	2002/02/21
120	1	input)) and position) and mapping		09:22
36	11		USPAT	2002/02/21
37		input)) and position) and highlighting		09:23
37	5		USPAT	2002/02/21
		<pre>input)) and position) and mapping) and highlighting</pre>		09:24
38	393	segment ADJ selection		
		Segment ADO Sefection	USPAT	2002/02/21
39	7	(segment ADJ image) and (segment ADJ	USPAT	09:24
1		selection)	OSPAI	2002/02/21
40	115	predefined ADJ configuration	USPAT	2002/02/21
İ			OSPAI	09:26
41	96	updated ADJ configuration	USPAT	2002/02/21
			ODITAL	09:27
42	0	((345/764 or 345/856 or 345/625 or	USPAT	2002/02/21
		345/627 or 345/642 or 345/810 or 345/779		09:28
		or 345/835 or 345/840 or 345/846 or		1
		382/173 or 382/176 or 382/180 or 382/190		
		or 382/224) and (processing ADJ tools))		
43	0	and (predefined ADJ configuration)		
43]	1 ((000) (000 01 010) 020 01	USPAT	2002/02/21
Ì		345/627 or 345/642 or 345/810 or 345/779 or 345/835 or 345/840 or 345/846 or		09:28
1		382/173 or 382/176 or 382/180 or 382/190		
ĺ	1	or 382/224) and (processing ADJ tools))		
		and (updated ADJ configuration)		
44	0	(processing ADJ tools) and (predefined	USPAT	2002/02/21
ł		ADJ configuration)	OPENI	2002/02/21
45	0	(processing ADJ tools) and (updated ADJ	USPAT	2002/02/21
		configuration)	~~	09:29
46	0	(segment ADJ image) and (predefined ADJ	USPAT	2002/02/21
l . <u> </u>		configuration)		09:29
47	0	(segment ADJ image) and (updated ADJ	USPAT	2002/02/21
40		configuration)		09:29
48	31017	image ADJ processing	USPAT	2002/02/21
	L			09:30

49	1405	(345/764 or 345/856 or 345/625 or 345/627	USPAT	2002/02/21
		or 345/642 or 345/810 or 345/779 or		09:30
		345/835 or 345/840 or 345/846 or 382/173		
		or 382/176 or 382/180 or 382/190 or		
		382/224) and (image ADJ processing)		
50	6	(predefined ADJ configuration) and	USPAT	2002/02/21
		((345/764 or 345/856 or 345/625 or		09:30
		345/627 or 345/642 or 345/810 or 345/779		
		or 345/835 or 345/840 or 345/846 or		
		382/173 or 382/176 or 382/180 or 382/190		
		or 382/224) and (image ADJ processing))		
51	0	(updated ADJ configuration) and ((345/764	USPAT	2002/02/21
		or 345/856 or 345/625 or 345/627 or		09:31
	ļ	345/642 or 345/810 or 345/779 or 345/835		
	1	or 345/840 or 345/846 or 382/173 or		
	•	382/176 or 382/180 or 382/190 or 382/224)		1
		and (image ADJ processing))		
52	56	photographic ADJ region	USPAT	2002/02/21
				09:32
53	224	text ADJ region	USPAT	2002/02/21
				09:32
54	1014	color ADJ region	USPAT	2002/02/21
		•		09:32
55	· 0	(segment ADJ classifier) and	USPAT	2002/02/21
		(photographic ADJ region)		09:33
56	0	(segment ADJ classifier) and (text ADJ	USPAT	2002/02/21
		region)		09:33
57	0	(segment ADJ classifier) and (color ADJ	USPAT	2002/02/21
		region)		09:33
58	0	((segment ADJ image) and classifier) and	USPAT	2002/02/21
	1	(photographic ADJ region)		09:33
59	3	((segment ADJ image) and classifier) and	USPAT	2002/02/21
		(text ADJ region)		09:34
60	0	((segment ADJ image) and classifier) and	USPAT	2002/02/21
		(color ADJ region)		09:34